

ANHUI

Brand integration: Anhui Shenzhou spaceship sealants industry co., ltd is a high-tech production enterprise specializing in the production of silicone adhesive, glass adhesive, and foam adhesive.

Contact number: 0550-5701444
fax: 0550-5706333
website: www.szfcjy.com
Email: szfc118@163.com

shenzhou spaceship to keep pace in their respective areas to become the leader of terms of color with black calm and stable, yellow passion, red passion sealants industry illustrates the Shenzhou spacecraft steady progress and positive optimism, determination and vision for the future. We expect more companies to join hands in creating brilliant in their fields.



Leading technology
www.SZFCJY.com

ANHUI SHENZHOU SPACESHIP SEALANTS INDUSTRY CO., LTD.


SZFC

Address: Banta Industrial Park, Lai'an County, Chuzhou City, Anhui Province, China

anhui shenzhou spaceship sealants industry co., ltd is a high-tech enterprise specializing in the production of silicone adhesive, glass adhesive, and foam adhesive.

DIRECTORY


Directory and Brand interpretation	1
About us	2
Company Profile	3-4
Company's development process	5-6
Corporate honors	7-8
Invention patent certificate	9-10
our products introduction	11-22
Hand in hand to create	23-24



Brand interpretation:

shenzhou spaceship contains the highest level of China's science and technology development, the entire technology industry leader. Our trademark by the first word "Shenzhou spacecraft" the alphabet SZFC designed to express the corporate pursuit of modern technology, the bottom two horizontal lines indicate more companies and undertaking of the Shenzhou spacecraft to keep pace in their respective areas to become the leader of terms of color with black calm and stable, yellow passion, red passion sealants industry illustrates the Shenzhou spacecraft steady progress and positive optimism; determination and vision for the future, We expect more companies to join hands in creating brilliant in their fields.






The company focuses on technology and research and development capabilities, keeps pace with the times, and explores innovation. We currently have 8 engineers with high professional titles, 11 scientific and technological personnel, and multiple economists.

This has laid a solid foundation for the development of the silicone adhesive industry and the stability of product quality for the company. The company has passed the ISO9001-2015 international quality system certification, and its products have passed the testing and certification of the Ministry of Construction. The company's philosophy is based on science, honesty, quality first, survival through quality, management for efficiency, and dedicated customer service. We strive for continuous innovation and development to provide professional products and services to customers.

Scale and Strength: Shenzhou Spaceship is a professional enterprise engaged in the research and development, production, and sales of high-end silicone sealants, foam adhesives, universal adhesives, nail free adhesives, and other silicone products. It has more than ten years of experience in chemical product management and has a certain sales network in China, Southeast Asia, and the world.


The shenzhou spaceship factory is located in the revolutionary old area with developed transportation, Banta Industrial Zone, Lai'an County, Anhui Province. It has over 50000 square meters of modern standard production plants, advanced production equipment, strong technical strength, and a large number of excellent enterprise management and technical talents.

“
Looking ahead from afar, with a bright future ahead, looking forward to the future, full of pride. shenzhou spaceship Rubber Industry will adhere to the value concept of "adhering to integrity, focusing on overall results, and unity and cooperation", sincerely seeking close cooperation with domestic and international friends from all walks of life, working together, striving for self-improvement, and striving to achieve the world's shenzhou spaceship.



shenzhou spaceship sealants industry, product richness will adhere to the value concept of "adhering to integrity, focusing on overall results, and unity and cooperation", sincerely seeking close cooperation with domestic and international friends from all walks of life, working together, striving for self-improvement, and striving to achieve the world's shenzhou spaceship.

Scale and Strength: Shenzhou Spaceship is a professional enterprise engaged in the research and development, production, and sales of high-end silicone sealants, foam adhesives, universal adhesives, nail free adhesives, and other silicone products. It has more than ten years of experience in chemical product management and has a certain sales network in China, Southeast Asia, and the world. The shenzhou spaceship factory is located in the revolutionary old area with developed transportation, Banta Industrial Zone, Lai'an County, Anhui Province. It has over 50000 square meters of modern standard production plants, advanced production equipment, strong technical strength, and a large number of excellent enterprise management and technical talents.



company's development process

Anhui shenzhou spaceship sealants industry co.,ltd has a far sighted vision in the industry and has formed strategic partnerships with professional advertising strategy companies, committed to shaping corporate image and integrating and promoting brands. The company has more than 20 registered trademarks, including the shenzhou spaceship trademark, which was named a well-known trademark in Chuzhou City in 2014.



2002-2006

From 2002 to 2006, the trademark of "Shenzhou spaceship" was successfully registered, and Shenzhou Spacecraft 001 silicone adhesive was born.



2007-2008

2007-2008 The birth of "Shenzhou spaceship" foam adhesive created the leading OEM model of foam adhesive in China.



2009-2016

2009-2016 Anhui Shenzhou Spaceship Sealant Industry Co., Ltd. was established.



2017-2018

2017-2018 Anhui Nandaxing New Material Technology Co., Ltd. and Anhui Blue Classic New Material Technology Co., Ltd. were established.



2019

In 2019, Anhui Nandaxing New Material Technology Co., Ltd. and Anhui Blue Classic New Material Technology Co., Ltd. signed a contract in January, started construction in



2020-2024



Anhui Nandaxing New Material Technology Co., Ltd., Anhui Blue Classic New Material Technology Co., Ltd. The factory signed a contract in January, started construction in March, and started production in October 2020-2022 Establishing Langyashan Engineering Materials Research Institute in chuzhou

ANHUI SHENZHOU

SPACESHIP SEALANTS INDUSTRY

Corporate honors

Quality assurance: shenzhou spaceship sealants industry fully implements the ISO9001 quality management system, and every link from raw materials to finished products undergoes strict inspection and testing, fundamentally ensuring the high quality of finished products. Both raw materials and finished products have passed strict testing by the National Finished Product Testing Center and have obtained international recognition.



OUR PRODUCTS INTRODUCTION:

National silicone structural sealant production certification enterprise
Member unit of China Association of Building Metal Structures
ISO9001-2015 International Quality Management System Certification Enterprise

POLYURETHANE FOAM



szfc quick-drying polyurethane foam joint filler

product description:

especially used for installation and in the building materials, with the function of adhesive, fixup, thermal insulation, sealing, waterproof, moisture-proof, gas isolating, shockproof, insulation. It is widely used in aluminum, doors & windows, wooden floor, switch socket, hole filling and so on.

Basic purpose: Self-expandable, moisture-solidified, the foam is elastic, high viscous and closed-cell structure. General using temperature between +5°C and 35°C. Optimum temperature between 0°C and 25°C, temperature range after solid from -30°C to +80°C.

Execution standards: JC936-2004

Net: 750ml



Szfc Top grade polyurethane foam sealant

product description:

Szfc Top grade polyurethane foam sealant is used to Villas, villas, high-end wooden doors, and installation and sealing of high-end doors and windows; Filling of cracks in pipelines, ventilation openings, and wire outlets; Sealing and insulation of various wall cracks.

Execution standards: JC936-2004

Net: 750ml



Single component polyurethane foam adhesive

product description:

Single component polyurethane foam adhesive is particularly suitable for filling, fixing, and installing gaps in building holes. It has functions such as bonding, fixing, insulation, heat insulation, sealing, waterproofing, moisture resistance, gas isolation, shock resistance, and insulation. Widely used for fixing and bonding installation of aluminum alloy, door frame and window pane, wooden floor, switch socket, air conditioning hole, etc., as well as filling of wall shrinkage joints and various pipe holes.

Execution standards: JC936-2004

Net: 750ml

OUR PRODUCTS INTRODUCTION:

National silicone structural sealant production certification enterprise
Member unit of China Association of Building Metal Structures
ISO9001-2015 International Quality Management System Certification Enterprise

SEALANT

Szfc001 quick-drying acid glass adhesive


product description:

This product is a single component, deacetic acid type, room temperature cured, low modulus silicone sealant. It is easy to use, has a fast curing speed, excellent aging resistance, and has good adhesion performance to various building materials.

Basic purpose: Installation of various doors and windows, bonding and sealing of glass engineering.

Execution standards:GB/T14683-2017

Net:300ml



Szfc002 quick-drying glass engineering exclusive adhesive

product description:

This product is a single component, deacetic acid type, room temperature cured, low modulus silicone sealant. It is easy to use, has a fast curing speed, excellent aging resistance, and has good adhesion performance to various building materials.

Basic purpose: Installation of various doors and windows, bonding and sealing of glass engineering.

Execution standards:GB/T14683-2017

Net:300ml



Szfc003 quick-drying large plate glass adhesive

product description:

This product is a single component, deacetic acid type, room temperature cured, low modulus silicone sealant. It is easy to use, has a fast curing speed, excellent aging resistance, and has good adhesion performance to various building materials.

Basic purpose: Large panel glass bonding, daylighting roof glass bonding, and many other industrial applications.

Execution standards:GB/T14683-2017

Net:300ml



Szfc004 mildew resistant and quick-drying neutral silicone glass adhesive

product description:

This product is a single component, high modulus neutral silicone sealant with good adhesion to general building materials, excellent weather resistance, aging resistance, environmentally friendly, and odorless. It has good compatibility with other silicone adhesives.

Basic purpose: Used for filling and sealing various types of glass, aluminum alloy, and plastic steel doors and windows; Used for sealing various indoor decoration joints; Used for many other industrial purposes.

Execution standards:GB/T14683-2017

Net:300ml



szfc005 exclusive for aquariums acid silicone structural sealant

product description:

This product is a single component, deacetic acid type, room temperature cured, low modulus silicone sealant. It is easy to use, has a fast curing speed, excellent aging resistance, and has good adhesion performance to various building materials.

Basic purpose: Adhesion of aquarium fish tank, large panel glass, and skylight glass.

Execution standards:GB/T14683-2017

Net:300ml

Szfc006 neutral silicone structural sealant

product description:

This product is a single component, low modulus neutral silicone sealant with good adhesion to general building materials. It has excellent weather resistance, aging resistance, UV resistance, ozone resistance, water resistance, high temperature resistance, and low temperature performance. After curing, it will not become brittle, harden, or crack at low temperatures of -50°C ; Will not soften, degrade, and maintain elasticity at high temperatures of $+150^{\circ}\text{C}$. Good compatibility with other silicone adhesives: environmentally friendly and odorless.

Basic purpose: Installation of various doors and windows, bonding and sealing of glass engineering.

Execution standards: GB/T14683-2017

Net: 300ml



Szfc007 neutral silicone weatherproof sealant

product description:

This product is a single component, low modulus neutral silicone sealant with good adhesion to general building materials. It has excellent weather resistance, aging resistance, UV resistance, ozone resistance, water resistance, high temperature resistance, and low temperature performance. After curing, it will not become brittle, harden, or crack at low temperatures of -30°C ; It will not soften at high temperatures of $+120^{\circ}\text{C}$, degrade, and always maintain elasticity. Has good compatibility with other silicone adhesives; Environmentally friendly and odorless.

Basic purpose: Large panel glass bonding, daylighting roof glass bonding, and many other industrial applications.

Execution standards: GB/T14683-2017

Net: 300ml



Szfc009 Neutral silicone weather resistant adhesive

product description:

Szfc009 is a single component, neutral curing silicone sealant (de ketoxime type) specially designed for weather sealing of various curtain walls (glass curtain walls, aluminum panel curtain walls, etc.), with excellent weather resistance. After artificial accelerated climate aging testing, the physical and chemical properties of the sealant have not changed significantly. When in use, use a glue gun to squeeze the glue from the sealant cylinder into the joint that needs to be sealed. The sealant absorbs moisture from the air at room temperature and solidifies into an elastic body, forming an effective seal.

Product features: Single component, easy to use, with good extrudability and thixotropy in the temperature range of 4°C -40°C . It can be directly applied by extrusion with a glue gun;

Execution standards: GB/T14683-2005

Net: 590ml



Szfc010 is a single component

product description:

Szfc010 is a single component, neutral curing silicone structural sealant designed specifically for structural bonding and sealing of glass, aluminum panel curtain walls, glass skylights, and metal structural engineering. It has excellent structural bonding performance, climate resistance, and aging resistance. After artificial accelerated climate aging testing, the physical and chemical properties of the sealant have not changed significantly. Use a glue gun to squeeze the glue from the sealant cylinder to the area that needs to be sealed. The sealant absorbs moisture from the air at room temperature and solidifies into an elastic body, forming an effective seal.

Basic purpose: Single component, neutral curing, non corrosive to metals and coated glass; Excellent weather resistance, aging resistance, UV resistance, ozone resistance, and water resistance

Execution standards: GB16776-2005

Net: 590ml



Szfc011 Two component silicone structural sealant

product description:

Szfc011 is a two-component, neutral curing silicone structural sealant with high strength, high elongation, and excellent adhesion. Suitable for bonding and sealing structures such as high-rise and super high-rise glass curtain walls, large-sized glass curtain walls, aluminum panel curtain walls, etc.

Product features: High strength, low modulus, suitable for high-rise curtain walls, large panel glass, aluminum panel curtain walls, steel structure main curtain walls and other buildings; Neutral curing, non corrosive to metals and coated glass; Excellent weather resistance, aging resistance, UV resistance, ozone resistance, and water resistance;

Execution standards: GB16776-2005



Szfc012 Two component silicone hollow sealant

product description:

Szfc012 is a two-component, neutral curing silicone sealant designed specifically for hollow glass assembly. The formula design of this product uses properties such as high modulus and strength to meet the requirements of hollow glass assembly. In addition to the advantages of ordinary silicone sealant such as weather resistance, high and low temperature resistance, and good adhesion, it also has the characteristic of low air permeability. When used, a dedicated adhesive machine is used for construction, and the two components are mixed in the specified proportion to solidify and form an elastic body.

Product features: Two component, adjustable curing speed, deep curing block, suitable for factory construction; Neutral curing, non corrosive to building materials such as metals and coated glass; High modulus, high strength

Execution standards: GB/T486-2001



S-118 SPECIAL SEALANT FOR PHOTOVOLTAIC MODULES



product description:

S-118 special sealant for photovoltaic modules is a kind of one component, thixotropic paste, oxime Type RTV silicone rubber for photovoltaic modules. After neutral curing, the surface of components can be cleaned after about 4 hours. It has excellent adhesion performance and excellent aging resistance, which can effectively prevent the penetration of gas and liquid which have destructive effect.

Product characteristics:

- ▲Thixotropic one component room temperature adhesive.
- ▲Rapid curing at room temperature, non-toxic and corrosion-free.
- ▲Working temperature - 50 °C - + 180 °C.
- ▲Excellent electrical insulation performance, arc corona resistance and impact resistance.
- ▲Good weather aging resistance, such as water resistance, ozone resistance, UV resistance, humidity and heat resistance.
- ▲Excellent adhesion and long-term sealing performance.

S-600 MS SPECIAL GLUE FOR PREFABRICATED BUILDING



product description:

This product is a single component neutral curing sealant with a displacement capacity of 25 levels. It has good adhesion to building materials such as cement, concrete, and stone, with low modulus, good flexibility, and environmental friendliness. It can be widely used in the fields of prefabricated building exterior walls, balconies, indoor joints, filling, sealing, etc.

Storage period:

Please store in a dry environment and below 27 °C for a storage period of 9 months. Transport as non hazardous materials. It is recommended to use the opened single component sealant all at once.

OUR PRODUCTS INTRODUCTION



Product richness

The Shenzhou spacecraft series products use high-quality imported raw materials from around the world and specialize in the production of silicone series products such as foam adhesive, nail free adhesive, universal adhesive, sealant, neutral silicone sealant, and acidic silicone glass adhesive through advanced production and technological processes. We provide products such as soft packaging, hard packaging, and single component, two-component bulk packaging for customers around the world to choose from.

OUR OTHERS PRODUCTS INTRODUCTION: WATER-BASED ADHESIVE

Net:300ml

Execution standards: GB/T
14683-2017, JC/T 885-2016

Product features:

Single component, neutral curing, easy to use, capable of extrusion and thixotropy in the temperature range of 4 °C -40 °C.

Excellent anti mold performance, strong adhesion, no corrosion, and good adhesion to most building materials without the need for a primer.



SZFC381 Kitchen and bathroom anti mold adhesive

After curing, the product forms a cold resistant, heat resistant, non corrosive elastomer, which has excellent weather resistance, anti-aging, UV resistance, ozone resistance, high and low temperature resistance, and no pollution to the environment.

matters needing attention:

Usage restrictions: Not applicable to structural bonding.
After curing, the surface can be coated with paint.
Not applicable to all surfaces that have leaked oil, plasticizers, or solvents.

"

Hand in hand to create

Let us go hand in hand, achieve each other on the road of pursuit of excellence, and jointly create a better future for us. Looking forward to your joining, let us write a new chapter in the development of the industry and create brilliance together!

The future can be expected

Future Prospects: Industry Leaders and Sustainability Models

As we look to the future, our company is steadily moving to new heights and is committed to becoming an innovation leader and sustainability model in the industry. We are not only an enterprise, but also a community of dreams and practices, bringing together the hearts of craftsmen who relentlessly pursue excellent quality and the wise minds who have keen insight into future trends.



Hand in hand: Find like-minded partners

We know that every step of this journey requires the support and hand in hand of our partners. Therefore, it is with great enthusiasm and sincere invitation that we seek out like-minded and like-minded partners around the world. We are eager to establish deep cooperative relations with enterprises that focus on technological innovation, pursue excellent quality, and adhere to green and sustainable development, and jointly draw a grand blueprint for the future.

Win-win cooperation: the commitment to create a brilliant future together

We believe that through close cooperation, we can gather more wisdom and strength to face the challenges and opportunities of the industry together. Your participation will bring us a new perspective and inspiration, and promote us to achieve more significant achievements in product development, market expansion, brand building, etc. Here, we solemnly promise to provide the best support and guarantee for each partner with an open and inclusive attitude, a fair and transparent cooperation mechanism, and efficient and professional services.

ANHUI

shenzhou spaceship sealants industry will adhere to the value concept of "adhering to integrity, focusing on overall results, and unity and cooperation", sincerely seeking close cooperation with domestic and international friends from all walks of life, working together, striving for self-improvement, and striving to achieve the world's Shenzhou spaceship.



ANHUI SHENZHOU SPACESHIP SEALANTS INDUSTRY CO., LTD.